



imPRESSions

w o r l d w i d e



NEW COMPENSATING COUNTER STACKERS



**TESTED & QUALITY CONTROL IN THE USA
24 HOUR USA PARTS & SERVICE NETWORK**

QUALITY YOU EXPECT * CUSTOMER SERVICE YOU DESERVE

11656 Knudson Road, Burlington, WA, USA 98233
888.346.6119 www.impressionsworldwide.com





iStack SPECIFICATIONS AND OPTIONS (13" or 17")

- Minimum set-up time for maximum performance
- High quality, easy to use, good accessibility
- Safety mechanisms
- High quality components
- Easy machine access for service
- Display mounted on movable arm
- Waste gate
- Laser Product counter
- New Flap design
- Stream checking system with auto adjusting photocell
- Turntable with stack compression by using plates instead of press fingers
- Display mounted on movable arm
- Larger movable touch screen with better graphics
- Stream aligner (Infeed jogger)
- Three stage upper bin to minimize drop height
- High speed servo pusher
- Delivery to the right / left and alternating
- Compensation via Servo Motor
- No need to change position for format change
- Double squeeze roller (automatic lifting of top rollers when opening the safety guards for easy jam removal)



QUALITY YOU EXPECT * CUSTOMER SERVICE YOU DESERVE

11656 Knudson Road, Burlington, WA, USA 98233
888.346.6119 www.impressionsworldwide.com





iStack TECHNICAL DATA

13" or 17"		
Dimensions	Length	Min. 100mm – Max. 325mm
	Width	Min. 140mm – Max. 500mm
Product Thickness	Pages	4 – 96 pages
Stack Height	Max.	13"/330mm or 17"/430mm
Mechanical Speed	Max.	100,000 copies per hour
Infeed Height		560mm – 1250mm
Delivery Table Height		876mm
Upper Bin Height	Max.	100mm per layer, total 300mm
Power Requirements		3Phase, 400V±5%; 220V single phase
Air Requirements		0.7MPa/98PSI 170NL/min (6cfm)
Max. Copy Stream Tolerance		± 16mm
Max. Lateral Deviation From the Grain		± 12mm
Max. Copy Inclination		± 6°



QUALITY YOU EXPECT * CUSTOMER SERVICE YOU DESERVE

11656 Knudson Road, Burlington, WA, USA 98233
888.346.6119 www.impressionsworldwide.com

